

composition;

- (c) a hydrophilic polymer comprising a controlled particle size in the drug composition;
- (d) a means for delaying release of drug from the drug composition.

40 45. The dosage form of Claim 31 wherein the drug is verapamil 39
hydrochloride.

41 39
46. The dosage form of Claim 34 wherein the drug possesses a controlled particle size of up to 150 μm and the hydrophilic polymer possesses a controlled particle size of up to 250 μm .

47. A method for the manufacture of a dosage form adapted to release a drug at a rate having a percentage deviation of not more than 5% from a mean release rate over a prolonged period of time comprising:

- (a) controlling a drug particle size;
- (b) controlling a hydrophilic polymer particle size;
- (c) admixing the drug with the hydrophilic polymer;
- (d) providing a means for prolonging release of the drug.

43
48. A method for the manufacture of a dosage form according to claim
42
47 wherein the drug is verapamil hydrochloride.

44

49. A method for the manufacture of a dosage form according to claim
47 wherein the prolonged release is four hours or more.

45

42 50. A method for the manufacture of a dosage form according to claim
47 wherein the drug particle size is controlled to up to 150 μm , and the
hydrophilic polymer particle size is controlled to up to 250 μm .

46

51. A method for maintaining a percentage deviation in a drug release
rate of not more than 5% from the mean release rate over a prolonged period of
time comprising:

- (a) controlling a drug particle size;
- (b) controlling a hydrophilic polymer particle size;
- (c) admixing the drug with the hydrophilic polymer;
- (d) providing a means for prolonging release of the drug.

47

52. A method for providing a controlled drug rate of release from a
dosage form in a patient, wherein the method comprises:

- (a) admitting orally into the patient a therapeutic composition
comprising a dose of drug with the drug possessing a controlled
particle size, and a hydrophilic polymer for the drug possessing a
controlled particle size; and

(b) codelivering the drug and the accompanying hydrophilic polymer at a substantially constant rate of release from the composition to provide an effective therapeutic dose in the patient.

48
53. The method for providing a controlled drug rate of release from a dosage form in a patient according to claim 52, wherein the substantially constant rate of release from the composition has a percentage deviation of not more than 5% from the mean release rate over a prolonged period of time.

49
54. The method for providing a controlled drug rate of release from a dosage form in a patient according to claim 53, wherein the prolonged period of time is four hours or more.

50
55. The method for providing a controlled drug rate of release from a dosage form in a patient according to claim 52, wherein the controlled particle size of the drug is up to 150 μm , and the controlled particle size of the hydrophilic polymer is up to 250 μm .

51
56. A method for providing a rate of release from a dosage form in a patient having a percentage deviation of not more than 5% from the mean release rate over a prolonged period of time, wherein the method comprises:

(a) admitting orally into the patient a therapeutic composition comprising a

(a) admitting orally into the patient a therapeutic composition comprising a dose of drug with the drug possessing a controlled particle size, and a hydrophilic polymer possessing a controlled particle size; and

(b) codelivering the drug and the accompanying hydrophilic polymer at a substantially constant rate of release from the composition to provide an effective therapeutic dose in the patient.

52
~~57.~~ The method for providing a controlled drug rate of release from a dosage form in a patient according to claim ~~56~~⁵¹, wherein the prolonged period of time is four hours or more.

53
~~58.~~ The method for providing a controlled drug rate of release from a dosage form in a patient according to claim ~~56~~⁵¹, wherein the drug possesses a controlled particle size of up to 150 μm , and the hydrophilic polymer possesses a controlled particle size of up to 250 μm .

REMARKS

Claims 1-43 are cancelled without prejudice.

Claims 44-58 were added.

Attached hereto is a clean copy of the changes made to the claims by the current amendment. The attached page is captioned "Clean Copy of Claims."